F5 2. 60/9:11/26 (5 mil Ge sont / De)

Morbidity and Mortality

Weekly Report

JUL 1962

# U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

MElrose 4-5131

For release July 6, 1962

ATLANTA 22, GEORGIA

COLUMN TO THE PARTY OF THE PART

PROVISIONAL INFORMATION ON SELECTED NOTIFIABLE DISEASES IN THE UNITED STATES AND ON DEATHS IN SELECTED CITIES FOR WEEK ENDED JUNE 30, 1962

POLIOMYELITIS - During the week ending June 30, 1962, 19 cases of poliomyelitis, 16 paralytic, were reported for the United States. Texas reported the largest proportion of these with 10 cases, 7 paralytic. California reported four cases (one with 1961 onset) and the States of New York, Ohio, West Virginia, Tennessee and Oregon accounted for one each.

The cumulative totals through the 26th week for the past 5 years are shown below. The totals in 1962 are comparable to those of the record low year, 1961.

	1962	1961	1960	1959	1958
Paralytic	158	155	346	694	333
Tatal	202	239	469	1,026	644

The six-week cumulative totals (21st thru 26th week) for the past 5 years are shown below:

	1962	1961	1960	1959	1958
Paralytic	66	48	131	357	149
Tatal	78	79	170	543	299

In Texas, the scene of poliomyelitis activity has shifted from the Southern counties of Bexar (San Antonio) and Webb (Laredo) where oral vaccine was administered in late May and early June, to counties in the North and East. Only one case, paralytic, was reported from Bexat County. This child had not received the oral vaccine.

Harris County (Houston) reported two paralytic and two non-paralytic cases this week. This brings the 1962

Table 1. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES
(Cumulative totals include revised and delayed reports through previous week)

		26th Wee	k	Cumulative					
Disease	Ended	Ended	Median	First 26 weeks					
2100400	June 30,	July 1,	1957 - 1961	1962	1961	Median 1957 - 1961			
	1962	1901				1737 - 1701			
Aseptic meningitis	56	39		602	706				
Brucellosis	9	14	16	204	281	388			
Diphtheria	6	5	7	219	308	337			
Encephalitis, infectious	28	30	35	762	741	748			
Hepatitis, infectious and serum	712	1,020	266	31,563	42,924	11,952			
Measles	7,510	8,234	8,234	416,402	359,673	365,536			
Meningococcal infections	33	43	38	1,212	1,211	1,341			
Poliomyelitis, total	19	22	69	202	239	621			
Paralytic	16	11	36	158	155	310			
Nonparalytic	3	7	25	27	52	211			
Unspecified	-	4	8	17	32	100			
Streptococcal sore throat					34	100			
and Scarlet fever	3,740	3,244		196,739	207,894				
Tetanus	9			99					
Tularemia	10			131					
Typhoid fever	19	15	20	244	292	322			
Typhus fever, tick-borne,					2,2	322			
(Rocky Mountain spotted)	18			75					
Rabies in Animals	72	70	74	2,156	1,827	2,036			

Table 2. NOTIFIABLE DISEASES OF LOW FREQUENCY

Anthrax: Botulism:

Botulism: Malaria: III. - 1, Mo. - 1 Plague: Psittacosis: Rabies in Man: Smallpox: Typhus, murine: total of paralytic cases for this county up to 6. Viral specimens from two early cases have yielded type I poliomyelitis virus.

Dallas County (Dallas) reported three paralytic cases, lifting their 1962 total to four. Virus isolations have not been reported.

HEPATITIS - The number of hepatitis cases reported for the week ending June 30 fell to 712. It is notable that, for the first time since the initiation of reporting of hepatitis cases over and under 20 years, the percentage of adult cases (over 20 years) exceeded the percentage of childhood (under 20 years) cases.

#### EPIDEMIOLOGICAL REPORTS

#### Vending Machine Salmonellosis - Colorado

Between April 20 and 27, six adults in Denver, Colorado, experienced a gastrointestinal illness severe enough in four cases to warrant hospitalization. The illness was characterized by fever, nausea, vomiting, abdominal cramps, and diarrhea. All six cases were found to have consumed chocolate eclairs obtained from refrigerated, automatic vending machines. Salmonella typhimurium was cultured from stool samples of all the cases. Characteristics of the cases are shown below. The 2 cases (Nos. 4 and 5) with short incubation periods had both undergone partial gastrectomies in the past.

Cose	Age	5ex	Onset of Symptoms	Incubotion Period
1	43	F	4/21	16 hours
2	33	М	4/25	12 hours
3	42	М	4/25	15 hours
4	45	М	4/27	7 3/4 hours
5	53	М	4/27	4 1/2 hours
6	40	М	4/27	9 hours

The food histories of all cases were identical with regard to consumption of eclairs but varied widely in all other respects. The eclairs consumed were obtained from three different vending machines supplied by a single bakery. Under questionable conditions of sanitation and in quarters with evidence of rodents and cockroaches, the bakery produced an average of 80 dozen eclairs each day. Each of the bakeries' employees who handled food in any of its stages of preparation was found to be free from salmonella by stool culture.

Eclairs were prepared by using a commercial cream filler and commercial icing. The pastry shell included frozen eggs in its ingredients. These eclairs were prepared, and individually wrapped, by 9:00 A.M. each morning and then were left at room temperature on trays until collected by representatives of the companies purchasing them. In no instance were the eclairs at the incriminated

vending machines delivered to machines until the following morning, approximately 24 hours after the baking.

The S. typhimurium phage type from 2 of the patients and from environmental samples of the bakery were the same, Type C.

(Reported by Dr. J. D. McCluskie, Director, Environmental Health Services, Dept. of Health & Hospitals, Denver, Colorado.)

### Influenza A<sub>2</sub> - Minnesota

Approximately 100 cases of Influenza A2 (Asian) occurred in a Veterans Administration Hospital in Minnesota during the month of May. Cases were first noted in the first week of May. The epidemic reached its peak in the middle of the month and then gradually subsided. Symptoms consisted of chills, fever, malaise, scratchy sore throats, myalgia, cough, and occasional conjunctivitis. The symptoms lasted several days; there were a few cases of pneumonia but no deaths. Cases were most common among hospital patients with an occasional case among the staff and personnel. The staff and personnel had been given polyvalent vaccine on a voluntary basis last fall; no vaccine had been given to the patients on an organized basis. Serologic evidence of Influenza A, was demonstrated in paired blood specimens from four patients and Influenza A2 (Asian) virus was isolated from a throat washing of one patient.

This outbreak represents the second reported Influenza A<sub>2</sub> (Asian) outbreak reported this year. The other outbreak occurred in Bellingham, Washington, in March 1962 (See MMWR, Vol. 11, No. 12).

(Reported by D. S. Fleming, M.D., Director, Division of Disease Prevention and Control, State of Minnesota Department of Health, Minneapolis 14, Minnesota.)

#### Acute Gastroenteritis Aboord o Noval Vessel


An outbreak of 26 cases of acute gastroenteritis occurred among the 247 officers and men aboard a U. S. Navy destroyer during the 4 day period, March 18th through 21st, while the ship was berthed at Naples, Italy. The illnesses were of one or two days duration and consisted of one or more of the symptoms of nausea, vomiting, diarrhea, and abdominal cramps. Many patients also experienced headache and malaise, and one had a slightly elevated temperature.

No consistent associations were found between onsets of illness and meals or other activities afloat or ashore, and no sanitary discrepancies were found aboard ship. Rectal swab cultures from 21 ill persons and 14 food service personnel were negative for pathogenic bacteria.

Half of the cases (13) occurred among the 49 junior enlisted men of one department, all of whom were berthed together apart from the rest of the crew (attack rate of 26.5%). Of the remaining 13 cases, one was in an officer,

and 12 were randomly distributed among the 158 junior men of the other departments of the ship (attack rate of 7.6%). The cases in the one department appeared approximately one day before the others.

DATES OF ONSET BY 6-HOUR PERIODS



Of particular interest is the fact that 2 of the 5 epidemic investigators subsequently developed the illness. They were the only 2 of the investigating team to enter the berthing spaces. One developed symptoms 12 hours and the other 19 hours following entry of the ship.

It was concluded that the outbreak was probably viral in etiology, with a short incubation period, and with person-to-person spread.

(Reported by LCDR Richard H. Svihus, MC, USN, Epidemiologist, and Capt. Sidney A. Britten, MC, USN, Officer in Charge, U. S. Navy Preventive Medicine Unit #7.)

#### INTERNATIONAL NOTES - QUARANTINE MEASURES

### Immunization Information for International Travel


1961 edition Public Health Service Publication No. 384 The following name should be added to the list of Yellow Fever Vaccination Centers in Section 6:

City	Center	Clinic Hours	Fee
Ohio	Hudson Health Center	Tuesday - Friday,	
Athens	Ohio University	By appointment	Yes
	Tel: LY 3-1011,		
	ext. 458 or 420		

#### SUMMARY OF PNEUMONIA AND INFLUENZA DEATHS

The weekly average number of pneumonia-influenza deaths for the four-week period ending June 30 was 365 as compared with an expected 390 weekly average.

		WEEK	4 Week	Weekly		
	6/9	6/16	6/23	6/30	Total	Average
Observed	384	355	353	367	1,459	365
Expected	400	393	386	379	1,558	390
Excess	-16	-38	-33	-12	-99	-25



## Table 3. CASTS OF SPECIFIED NOTIFIABLE DISTASES. UNITED STATES FOR WEEKS ENDED

JULY 1, 1961 AND JUNE 30, 1962

UNITED STATES 19 22 202 239 16 11 158 155 3 7 56 EN ENCLAND.		Polio	myelitis	, Total C	ases	Pol:	iomyeliti	· ·		Poliomy	elitis, lytic		Aseptic Meningitis	
WHITED STATES	Area	26+4	tionk			26+1	tuonk	ł		26+1	ttook	2604	mak	
UNITED STATES 19 22 202 239 16 11 158 155 3 7 56 EN ENCLAND.			<del></del>	-		-	T	-	1	_		-	196	
SMING.	UNITED STATES		22				11						3	
Maine   Mapphire											_			
New Hampshire			_	1	1 -			I.	1	[	_			
Vermont			_	ł	_			I .						
Rhode   Island		-	-	-	-	-	_	_	_	_	_	_		
Connecticut.	Massachusetts	-	-	2	2	-	-	2	2	-	-	2		
IDDIE ATLANTIC.	Rhode Island	-	-	-	-	-	-	-	-	-	-	-		
New York   1	Connecticut	-	-	1	1	-	-	1	1	-	-	-		
New Jersey.	HIDDLE ATLANTIC		1				-			-	-	_		
Pennsylvania 3			1	32		1	-	19	1	-	-	1		
AST NORTH CENTRAL. 1 2 10 27 1 2 7 18 - 3 1							ł			-	-			
Obio				1.0				_						
Indiana.			-				1		1	-		_		
Illinois.										-	-	1		
Mischigan.								1						
SEST NORTH CENTRAL						_					1			
Minnesota			_			-	_		_		1			
Towa.	EST NORTH CENTRAL	-	2			-	1		6	-	-	1		
Missouri.	Minnesota	-	-		3	-	-		3	-	-	-		
North Dakota   -   -   -   -   -   -   -   -   -		-				-				-	-	1		
South Dakota		-	2	3	6	-	1	1	1	-	-	-		
Nebraska			-	-		-	-	-	-	-	-			
NUTH ATTIANTIC.		-	-	-		-		-	1 :	-	-	-		
DUTH ATIANTIC. 1 1 10 12 36 1 4 9 23 - 5 4 Delaware 2 1		-	-				-	1	2	-	-	-		
Delaware	Kansas	-	-	-	-	-	-	-	-	-	-	-		
Maryland.	OUTH ATLANTIC	1	10	12		1	4		P.	-	5	4		
District of Columbia.					4				1	-		-		
Virginia         -         -         2         -         -         2         -<					1			-	-	-		-		
West Virginia.			-		-	-	-	-	-	-	-	-		
North Carolina.			-	4		1	-		1	-	1	_		
South Carolina			_							_	1	_		
Georgia 5 2 14 - 1 2 8 - 4 - Florida 4 3 8 8 - 3 2 5 4 4 - Florida 4 3 8 8 - 3 2 5 5 4 4 - Florida 4 3 8 8 - 3 2 5 5 4 4 - 4 - 4 4 3 8 8 - 3 2 5 5 4 4 - 4 4 5 5 5 8 8 4 4 5 5 8 8 4 4 5 5 8 8 4 4 5 5 8 8 4 4 5 5 8 8 4 4 5 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 7 8 8 8 7 8 8 7 8 8 8 8 7 8 8 8 7 8 8 8 8 7 8 8 8 7 8 8 8 8 7 8 8 8 8 7 8 8 8 7 8 8 8 7 8 8 8 8 7											ì			
Florida.			5							_	ł			
Kentucky.       -       1       2       166       -       -       2       2       -       -       4         Tennessee.       1       -       3       2       1       -       1       1       - <td></td> <td>-</td> <td></td> <td></td> <td></td> <td>-</td> <td>_</td> <td></td> <td>(</td> <td>-</td> <td></td> <td>4</td> <td></td>		-				-	_		(	-		4		
Tennessee	AST SOUTH CENTRAL	1	1	7	23	1	_	5	8	-	_	4		
Alabama	Kentucky	-	1	2	16	-	-	2	2	-	-	4		
Mississippi		1	-	3	2	1	-	1	1	-	-	-		
Arkansas.		-	-	2		-	-	2		-	-	-		
Arkansas.	Mississippi	-	-	-	4	-	-	-	4	-	-	-		
Arkansas	EST SOUTH CENTRAL	10	3	99	39	7	3	83	23	3	_	15		
Oklahoma.       -       -       1       -       -       -       -       1       1       -       -       -       -       -       -       1       -       -       -       -       -       1       -       -       -       1       -	Arkansas	-	_	1	1	-	-	1	-	-	-	-		
Texas	Louisiana	-	2	7	11	-	2	6	8	-	-	-		
OUNTAIN.		-								-	-	_		
Montana.       -       -       3       1       -       -       2       1       -<	Texas	10	1	90	27	7	1	76	15	3	-	14		
Idaho.       - <td>OUNTAIN</td> <td>-</td> <td>-</td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td> <td></td> <td></td> <td>-</td> <td>-</td> <td></td>	OUNTAIN	-	-			-	-				-	-		
Wyoming.       -<				ļ			-							
Colorado.							-							
New Mexico.       - <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Į.</td><td></td><td></td><td></td><td></td></td<>									Į.					
Arizona							-			-	•	-		
Utah		-	**				-		1	-	-			
Nevada		-						_	1					
Washington.     -										-	-			
Washington.     -	ACIFIC	5	3	23	58	5	1	20	44	_	2	24	:	
Oregon	Washington	_								-		-		
California		1	2	2	7		-			-	2			
Alaska			1				1	17	34	-	-	24		
		-	-				-			-	-	-		
	Hawaii	-	-	1	2	-	-	1	2	-	-	-		
7	uerto Rico	-	-	7	4	-	-	7	4	-	-	-		

## Table 3. CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES FOR WEEKS ENDED

JULY 1, 1961 AND JUNE 30, 1962 - (Continued)

			1		1					_		
	Bruce	llosis	Diphth	eria	Encepha: Infecti		Tof		atitis,	ariim	Meas	les
Area		Cumu-		Cumu-	1112000					- L UIII		
		lative		lative	i		Under	20 &	n_week		-	
	26th week	26 weeks	26th week	26 weeks	26 tl	ı week	20 yr.	over	Tota1	Total	26th	week
	1962	1962	1962	1962	1962	1961	1962	1962	1962	1961	1962	1961
								<del></del> -				_
UNITED STATES	9	204	6	219	28	30	321	355	712	1,020	7,510	8,234
NEW ENGLAND	i _	_	_	1	1	4	12	21	33	20	1 006	1 7/0
Maine	-	_	_		_	-	4	6	10	20	1,004	1,142
New Hampshire	-	-	-	-	-	-	_	1	1	2	6	2
Vermont	-	-	-	-	-	-	1	-	1	2	115	_
Massachusetts	-	-	-	1	-	1	5	9	14	7	452	815
Rhode Island	-	-	-		1	3	1	1	2	2	71	100
Connecticut	_	_	_	_	-	-	1	4	5	7	229	198
MIDDLE ATLANTIC	-	4	-	4	7	5	75	81	156	188	1,593	2,231
New York	-	1	-	2	4	5	30	40	70	77	904	1,094
New Jersey	-	1	-	1	-	-	19	13	32	43	557	584
Pennsylvania	-	2	-	1	3	-	26	28	54	68	132	553
EAST NORTH CENTRAL	2	49	_	6	1	1	56	62	127	106	1,514	1,697
Ohio	_	-	_	-		1	18	15	37	57	359	278
Indiana	-	4	-	3	_	Ī	2	6	8	36	73	100
Illinois	2	38	-	-	-	-	9	14	23	40	221	258
Michigan	-	3	-	3	1	-	25	24	49	60	565	491
Wisconsin	-	4	-	-	-	-	2	3	10	3	296	570
WEST NORTH CENTRAL	5	84	2	51	1	3	11	10	27	85	225	112
Minnesota	1	5	_	16	1	-	5	2	12	23	38	2
Iowa	4	50	-	1 .	_	-	1	1	2	19	55	58
Missouri	-	2	-	5	-	2	5	3	8	20	32	28
North Dakota	-	1	2	6	-	-	-	-	-	8	91	16
South Dakota Nebraska	-	4	-	11	-	1	-	1	1	1	8	-
Kansas	_	9 13	-	1 I I	1 -	_	-	1 2	2	12	1	8
		1.5	_	1	-	-	-			2	NN	NN
SOUTH ATLANTIC	1	17	1	40	9	4	35	45	81	127	457	839
Delaware	-	-	-	-	-	-	-	-	-	6	5	16
Maryland District of Columbia	-	-	-		3	-	4	3	7	26	39	168
Virginia	1	-	-	1	-		1	-	1	1	4	8
West Virginia	_	8	-	7	1 -	1 -	5 8	8	14 11	15	114	325
North Carolina	-	2	_	4	1	2	12	12	24	18 28	177 19	194 54
South Carolina	-	-	-	5	_	_	-	4	4	1	8	1
Georgia	-	2	-	4	-	-	2	4	6	6	9	_
Florida	-	5	1	18	4	1	3	11	14	26	82	73
EAST SOUTH CENTRAL	_	9	1	16	_	_	44	24	68	96	357	544
Kentucky	_		-	-	]		11	10	21	23	44	46
Tennessee	-	4	-	7 .	_	_	23	8	31	44	232	452
Alabama	-	4	-	3	-	_	6	3	9	13	17	20
Mississippi	-	1	1	6	-	-	4	3	7	16	64	26
WEST SOUTH CENTRAL	1	13	1	82	1	4	31	21	55	73	565	314
Arkansas	-	1	1	10	-	1	4	3	7	14	31	2
Louisiana	1	2	-	7	_		4	5	10	12	-	-
Oklahoma	-	1	-	5	-	-	-	-	-	-	6	-
Texas	-	9	1	60	1	3	23	13	38	47	528	312
MOUNTAIN	_	7	1	9	1		0	0	22	50	662	300
Montana	_	1	-	6		-	9	8 1	33 2	58	663 108	380
Idaho	-	1	_	1		_	-		4	4	28	44
Wyoming	-	-	-	-	-	_	1	1	2	5	20	-
Colorado	-	2	-	-	-	-	- [	-	9	21	201	186
New Mexico	-	-	1	2	-	-	3	3	6	6	NN	NN
Arizona Utah	-	2	-	-	- 1	-	-	-	2	17	150	114
Nevada	-	1	_	-	1	_	5	3	8	4	167	25 11
					_					1	7	11
PACIFIC	-	21	-	10	7	9	48	83	132	177	1,132	975
Washington	-		-	-	1	1	18	24	42	14	252	62
Oregon	-	1	-	-	-	-	7	6	13	26	306	130
Alaska	_ :	18 1	-	5	6	8	22	48	71	136	446	756
Hawaii	-	1		5	-	_	1	4	5	1 -	21 107	22 5
		_						1	1		107	3
Puerto Rico	-	-	1	27	-	-	10	5	15	28	81	25

# Table 3 CASES OF SPECIFIED NOTIFIABLE DISFASES: UNITED STATES FOR WEEKS ENDED

JULY 1, 1961 AND JUNE 30, 1962 - (Continued)

	Mening Infect		Strepto Sore The Scarlet	roat &	Tetanus	Tickborne Typhus	Tularemia	Typhoi	i Fever	Rabies	in Anim	als
		Cumu-	Scarie	. rever		(Rcky Mt. Spotted)			Cumu-			Cumu-
Area		lative				opocea,			lative			lative
	26th wk	26 weeks	26t	h week	26th wk.	26th wk.	26th wk.	26th wk.	26 weeks	26th	week	26 weeks
	1962	1962	1962	1961	1962	1962	1962	1962	1962	1962	1961	1962
UNITED STATES	33	1,212	3,740	3,244	9	18	10	19	244	72	70	2,156
				,							, ,	-,
NEW ENGLAND	_	76 12	373 109	208	2		-	_	3	_	-	-
New Hampshire	_	3	4	2					1	_		
Vermont	_	2	5	1	_	_	_	_	_			
Massachusetts	-	31	59	72	_	-	-	-	2	_	_	-
Rhode Island	-	7	43	60	-	-	_	-	-	-	-	-
Connecticut	-	21	153	67	2	-	-	-	-	-	-	-
MIDDLE ATLANTIC	4	200	164	241	_	3	_	2	28	7	1	59
New York	2	92	115	167	_	3	-	1	17	6	_	40
New Jersey	1	47	24	58	-	_	-	1	8	_	_	-
Pennsylvania	1	61	25	16	-	-	-	-	3	1	1	19
FACT MODUL OFFITAL		200	001	0.55								
EAST NORTH CENTRAL	8	239	296	255 48	2	1	2	4 2	38	24	9 2	496
Indiana	1	72 22	26 44	69		1	1	2	20	7 4	2	259 149
Illinois	2	44	95	34	1	-	-	_	9	10	4	46
Michigan	1	82	62	30	-	-	-	-	4	2	1	22
Wisconsin	1	19	69	74	-	-	1	-	3	1	-	20
WEST NORTH CENTRAL.	_	6.5	82	58	_	_		2	8	1,	2/	5/2
Minnesota	_	65 12	6	3	_				0 -	14	24	563
Iowa	_	9	27	24	_	_	_	1	1	5	12	232
Missouri	_	18	_	3	_	_	-	ī	6	2	3	95
North Dakota	-	6	35	11	-	-	-	_	-	2	-	43
South Dakota	-	2	1	-	-	-	-	-	-	1	3	61
Nebraska	-	8	-		-	-	-	-	1	-	3	13
Kansas	-	10	13	17	-	-	-	-	-	-	-	2
SOUTH ATLANTIC	7	202	394	150	-	10	1	2	44	6	4	177
Delaware	68	26	2	1	_	-	-	-	1	-	-	-
Maryland	-	10	7	9	-	1	-	-	2	-	-	1
Dist. of Columbia Virginia	-	7	3 5 <b>7</b>	3	_		1	1	8	1	-	-
West Virginia	2 1	43 12	82	57 39	_	6		_	2	4	1 1	80 62
North Carolina	2	50	12	12	_	Î	_	_	2		î	-
South Carolina	-	12	1	1	-	_	-	-	4	-	-	-
Georgia	1	7	43	1	_	1	-	-	14	-	-	5
Florida	1	35	187	27	-	-	-	1	7	1	1	29
EAST SOUTH CENTRAL	6	<b>7</b> 9	542	737	_	1	_	2	20	1	9	252
Kentucky	4	19	5	1	_	-	-	-	3	-	4	83
Tennessee	1	34	509	697	-	1	-	2	10	-	4	153
Alabama	1	16	4	-	-	-	-	-	7	1	1	16
Mississippi	-	10	24	39	-	-	-	-	-	-	-	-
WEST SOUTH CENTRAL	2	108	510	461	3	3	6	3	65	9	20	441
Arkansas	-	11	-	1	1	-	4	-	7	3	7	53
Louisiana	2	52	-	-	1	-	-	-	18	-	1	14
Oklahoma Texas	-	5	2	14	-	3	2	1	4	2	1	19
ICAds	-	40	508	446	1	-	-	2	36	4	11	355
MOUNTAIN	1	39	499	832	1	-	1	3	22	_	1	20
Montana	-	3	10	1	-	-	-	-	10	-	-	-
Idaho	-	3	42	50	-	-	-	-	-	-	-	-
Wyoming	1	3 8	261	6		_	1	_	3	-	-	
New Mexico	-	3	261	559	_			3	1 6	-	_	10
Arizona	_	9	91	132	_	_	_	-	2	_	-	10
Utah	-	6	93	78	1	-	_	-	_	-	1	-
Nevada	-	4	2	6	-	-	-	-	-	-	-	-
PACIFIC	5	204	880	302	1	_	-	1	16	11	2	148
Washington	- }	18	156	46	-	-	-	_	1	-	-	-
Oregon	-	15	13	7	-	-	-	-	-	1	-	5
California	5	162	681	217	1	-	-	1	15	10	2	143
Alaska	- 1	5	6	29	-	-	-	-	-	-	-	-
Harradd												
Hawaii	-	7	24	3	-	-	-		3	-	-	-

Table 4 (B). REPORTED PNEUMONIA-INFLUENZA DEATHS IN REPORTING CITIES

(Tables 4(A), 4(B), 4(C), and 4(D) will be published in sequence covering a four-week period. O

Area		For week	s ending		Area		For week	s ending	
Area	6/9	6/16	6/23	6/30	Area	6/9	6/16	6/23	6/30
NEW ENCLAND:					SOUTH ATLANTIC:				
Boston, Mass	13	4	2	6	Atlanta, Ga	4	3	,	2
Bridgeport, Conn	2	4	6	1	Baltimore, Md	5	4	3 7	3
Cambridge, Mass	1	0	Ö	ō	Charlotte, N.C	2	2	3	6 0
Fall River, Mass	1	1	3	1	Jacksonville, Fla	3	0	0	2
Hartford, Conn	2	1	0	1	Miami, Fla	ő	1	1	0
Lowell, Mass	3	3	3	3	Norfolk, Va	8	2	4	7
Lynn, Mass	0	0	2	0	Richmond, Va	1	1	3	í
New Bedford, Mass	2	1	2	1	Savannah, Ca	4	2	2	3
New Haven, Conn	0	1	0	1	St. Petersburg, Fla	7	4	2	2
Providence, R.I	2	1	2	1	Tampa, Fla	3	o	0	1
Somerville, Mass	3	0	2	0	Washington, O.C	5	6	5	6
Springfield, Mass	2	5	2	6	Wilmington, Del	3	3	0	2
Waterbury, Conn	1	1	0	0					_
Worcester, Mass	2	7	0	3	EAST SOUTH CENTRAL:				
					Birmingham, Ala	3	0	1	1
MIDDLE ATLANTIC:					Chattanooga, Tenn	5	4	4	6
Albany, N.Y	1	2	1	0	Knoxville, Tenn	0	0	0	1
Allentown, Pa	1	2	1	3	Louisville, Ky	18	14	11	13
Buffalo, N.Y	5	7	4	7	Memphis, Tenn	2	3	3	6
Camden, N.J	3	1	2	4	Mobile, Ala	0	1	1	1
Elizabeth, N.J	0	0	1	0	Montgomery, Ala	2	2	2	4
Erie, Pa	5 4	0	4	1.	Nashville, Tenn	2	1	3	2
Jersey City, N.J	3	6 5	0	1	THE OF COMMUNICATION AT -				
Newark, N.J New York City, N.Y	59		3	7	WEST SOUTH CENTRAL:			_	_
	4	49 3	45	46	Austin, Tex	1	3	3	5
Paterson, N.J	11	9	3 12	3 10	Baton Rouge, La Corpus Christi, Tex	2	2	1	1
Pittsburgh, Pa	5	2	0	3*	Dallas, Tex	0	0	1	1
Reading, Pa	2	1	0	1	El Paso, Tex	3	3	4	1
Rochester, N.Y.	6	6	4	2	Fort Worth, Tex	1	2	4	4
Schenectady, N.Y	0	2	2	1	Houston, Tex		0	1	2
Scranton, Pa	i	2	2	2	Little Rock, Ark	5	5	4	3
Syracuse, N.Y	î	0	3	1	New Orleans, La	5	4	4	4
Trenton, N.J	2	2	ő	1	Oklahoma City, Okla	6 0	4	1 1	8
Utica, N.Y	3	2	0	1	San Antonio, Tex	2	2	2	1
Yonkers, N.Y	3	3	2	2	Shreveport, La	6	8	3	5 3
,	J		_	-	Tulsa, Okla	0	5	4	1
EAST NORTH CENTRAL:						U	, ,	4	Τ.
Akron, Ohio	1	1	1	0	MOUNTAIN:				
Canton, Ohio	0	3	3	Ö	Albuquerque, N. Mex	0	3	c	5
Chicago, Ill	34	29	31	34*	Colorado Springs, Colo	2	1	í	Õ.
Cincinnati, Ohio	1	2	1	7	Denver, Colo	5	6	10	3
Cleveland, Ohio	1	2	2	4	Ogden, Utah	1	3	1	í
Columbus, Ohio	2	0	0	5	Phoenix, Ariz	1	1	ī	3
Dayton, Ohio	0	2	0	2	Pueblo, Colo	1	0	1	0
Detroit, Mich	4	9	8	6	Salt Lake City, Utah	1	1	0	1
Evansville, Ind	1	0	3	1	Tucson, Ariz	0	1	1	1
Flint, Mich	3	0	3	3					
Fort Wayne, Ind	5	3	0	2	PACIFIC:				
Cary, Ind	2	3	0	4	Berkeley, Calif	0	2	0	0
Grand Rapids, Mich	3	1	2	6	Fresno, Calif	3	3	2	3
Indianapolis, Ind	2	2	7	6	Glendale, Calif	0	0	0	0
Madison, Wis	0	0	1	1	Honolulu, Hawaii	1	2	1	2
Milwaukee, Wis	5	1	1	0	Long Beach, Calif	0	0	0	0
Peoria, Ill	1	0	0	0	Los Angeles, Calif	16	12	16	10
Rockford, Ill	5	4	4	1	Oakland, Calif	1	2	4	2
South Bend, Ind	3	2	2	2	Pasadena, Calif	2	0	2	1*
Toledo, OhioYoungstown, Ohio	6	4	2	1	Portland, Oreg	1	2	3	5
Louis comi, Olifo,	0	1	2	1	Sacramento, Calif	5	4	4	2*
WEST NORTH CENTRAL:					San Diego, Calif	1	2	4	3
Oes Moines, Iowa	2	2	2	,	San Francisco, Calif	2	2	1	2
Duluth, Minn		2	3	1 2	San Jose, Calif	4	3	2	6
Kansas City, Kans	0	0	1	2	Seattle, Wash	4	3	2	2
Kansas City, Mo	7	2	2	7	Spokane, Wash	1	2	0	1
Lincoln, Nebr	0	7 0	9	10	Tacoma, Wash	5	4	1	0
Minneapolis, Minn		5	0	2	San Juan, P.R	,			
Omaha, Nebr	1 1	1	6 2	2	Juan, F.R	4	4	0	()
St. Louis, Mo	3	5	8	0					
St. Paul, Minn				2	OCurrent Week Mortality fo	r 108 so	lected of	tion	
Wichita, Kans	0 5	0 7	3 5	2	Guitent week Mortality 10	1 100 56.	rected C1	LICS	
	,	/	)	6	4(A) Total Mortality, all ag	es		10.0	250

<sup>\*</sup>Estimate - based on average percent of divisional total

Totals for previous weeks include reported corrections.

NOTE: All deaths by place of occurrence.

<sup>4(</sup>D) Total Deaths, Persons 65 years and over.... 6,021

Notes: These provisibus data are based on weekly telegrams to the Communicable Disease Center by the individual State bealth departments.


Symbols: --- Data not available
- Quantity zero

Procedures for construction of various mortality curves may be obtained from Statistics Section, Communicable Disease Center, Public Health Service, U. S. Department of Health, Education, and Welfare, Atlanta 22, Georgia.



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta 22, Georgia
Official Business



POSTAGE AND FEES PAID U. S. DEPARTMENT OF H. E. W.